

BarthHaas®

BetaStab® 10A

Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

1.1 Product Identifier: BetaStab® 10A

1.2 Synonyms:

1.3 Relevant Uses: Food processing aid

1.4 Supplier: BarthHaas / BarthHaas UK Ltd.

1.5 Emergency Contact Details: Hop Pocket Lane, Paddock Wood, Kent, TN12 6DQ, UK
Emergency phone: +44 1892 833 415 (09:00 - 17:30 Mon-Thurs; 09:00 - 16:30 Fri, UK time)
Email: enquiries@barthhaas.co.uk

BarthHaas / John I. Haas, Inc.
1600 River Rd., Yakima, WA 98902, USA.
Emergency phone: +1 509 469 4000 (office hours)
Email: info@johnihaas.com

2. HAZARDS IDENTIFICATION

2.1 Classification According to Regulation (EC) 1272/2008 [CLP]:
Skin Sensitisation Category 2
Eye Irritation Category 2
Skin Sensitisation Category 1

2.2 Label Elements: According to Regulation (EC) 1272/2008 [CLP]:

Hazard Pictogram:



Signal Word: **Warning**

Hazard Statements:

H315: Causes skin irritation

H317: May cause an allergic skin reaction

H319: Causes serious eye irritation

Precautionary Statements:

P280: Wear protective gloves and eye protection

P302+P352: IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

2.3 Other Hazards: None

3. COMPONENTS/INFORMATION ON INGREDIENTS

Component	Concentration (% m/m)	CAS no.	EC no.	REACH Registration No.	Classification according to Regulation (EC) 1272/2008 [CLP]
Fraction of hop extract	10	8060-28-4	232-504-3	01-2120766877-32-0000	Acute Tox. 4 H302, H312 Skin Irritation Category 2 Eye Irritation Category 2 Skin Sensitisation Category 1
Water	Balance	7732-18-5	231-791-2	N/A	Not classified

4. FIRST AID MEASURES

4.1 Description of First Aid Methods:

symptoms	<u>Inhalation:</u>	Remove to fresh air
	<u>Skin contact:</u>	Wash skin thoroughly with soap and water. If any symptoms persist obtain medical attention.
induced.	<u>Eye contact:</u>	Flood the eye with plenty of water. If any symptoms persist obtain medical attention.
	<u>Oral ingestion:</u>	Rinse mouth out with water and drink a portion of water (ca. 200ml). Vomiting may occur but should not be induced.
		Obtain medical attention if symptoms persist.

4.2 Most important Symptoms and Effects

Skin and eye irritation.

4.3 Indications of Immediate Medical Attention or Special Treatment

Action as indicated in Section 4.1 above.

5. FIRE AID MEASURES

5.1 Extinguishing media:

Carbon dioxide, dry powder and foam

5.2 Special Hazards Arising from Substance

The product is an aqueous solution and is therefore not expected to burn. No known unusual fire or explosion hazards.

5.3 Advice for Firefighters:

Wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Protection: Wear appropriate protective clothing – see Section 8.

6.2 Environmental Precautions: Small amounts (<10 litres) can be safely diluted with water and flushed into the drain. Do not discharge large amounts onto the ground or into watercourses – hold for disposal, or in the case of spillages, deal with this as indicated in Section 6.3

6.3 Methods for Cleaning Up: Contain spillage using earth, sand or other inert material. Transfer to suitable sealed container prior to disposal. Flush area with hot soapy water to remove final traces. Use adequate ventilation or a respirator if in a confined area.

7. HANDLING AND STORAGE

7.1 Precautions for Safe Handling: Avoid excessive contact with product. Use appropriate protective clothing as indicated in Section 8. Wash hands after use.

7.2 Conditions for Safe Storage: Store at 5 – 25 °C, (41-77 °F). Keep container closed, out of direct sunlight and prevent from freezing.

7.3 Specific End Uses: For use as a food ingredient. It should be used in accordance with applicable food legislation.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters: Not applicable.

8.2 Exposure Controls

should commended	<u>Engineering Controls:</u>	Not required.
	<u>Eye/Face Protection:</u>	Safety goggles.
	<u>Hand Protection:</u>	PVC, rubber, latex or nitrile gloves are all suitable and be used.
	<u>Skin Protection:</u>	Not normally required. Long-sleeved workwear to avoid accidental skin contact.
	<u>Respiratory Protection:</u>	Not required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Amber/brown liquid (some precipitation may occur)
Odour:	Slight hop aroma
Odour Threshold:	No data available
pH:	10 - 11.5
Freezing Point:	< 0 °C
Boiling Point:	93-104 °C (200-220 °F)
Flash Point:	Not applicable due to high water content
Evaporation Rate:	Not measured (high water content; substantial evaporation not expected at normal conditions)
Flammability:	Non flammable
Upper/Lower Flammability:	N/A
Vapour Pressure:	Vapour pressure of fraction of hop extract is <i>ca.</i> 6×10^{-11} Pa
Vapour Density: Density (kg/m³)	Not applicable - low vapour pressure <i>ca.</i> 1,020
Solubility in Water:	Dilution can lead to precipitation
Partition Coefficient:	LogP _{ow} for purified active component is 4 - 5.5 at pH 7
Auto-ignition Temperature:	N/A
Decomposition Temperature:	No hazardous decomposition when used for its intended use.
Viscosity:	<i>ca.</i> 5 mPas at 20 °C
Explosive properties:	Not explosive
Oxidising properties:	Not an oxidizing agent

10. STABILITY AND REACTIVITY

10.1 Reactivity:	No reactivity hazards known
10.2 Chemical Stability:	Stable under normal conditions, if stored in accordance with 7.2 and 10.5
10.3 Possibility of Hazardous Reactions:	
10.4 Conditions to Avoid:	Avoid strong oxidizing agents. Precipitation may occur on mixing with any material.
10.5 Incompatible Materials:	Precipitation may occur on mixing with any material.
10.6 Hazardous Decomposition Products:	None known

11. TOXICOLOGICAL INFORMATION

BetaStab 10A contains a fraction of hop extract.

11.1 Acute Toxicity:	At concentration present, the material is not classified as hazardous. Estimated ATE values (oral, dermal) are 7000 mg/kg bw for a 10% m/m solution.
11.2 Skin Corrosion/ Irritation ontaining	Potassium salts of hop β -acids are classified as irritant to the skin according to OECD Guideline 439 (In vitro skin irritation). Therefore, a mixture 10% β -acids will be classified as Skin Irritation Category 2.
11.3 Serious Eye Damage/ Irritation: - 11.5 (see Section 9).	BetaStab 10A [10% m/m solution of β -acids in water] is classified as Eye Irritation Category 2 as a precaution based on skin irritation results and based on pH 10
11.4 Respiratory or Skin Sensitisation: classified as very	BetaStab 10A is classified for skin sensitisation by reading across from Hop Extract (EC 232-504-3), which is classified as a skin sensitizer to in vitro methods. Fractions of hop extract are present >1% BetaStab 10A, hence BetaStab 10A is Skin Sensitisation Category 1. The vapour pressure of potassium salts of beta-acids is low: 6×10^{-11} Pa (estimated by EPISuite™) and therefore respiratory sensitization is not applicable.
11.5 Germ Cell Mutagenicity: on	OECD Guideline 471 (Bacterial Reverse Mutation Assay) on read-across. substance Hop Extract EC 232-504-3: not mutagenic. Bacterial reverse Mutations Assay 40% beta-acids: not mutagenic
11.6 Carcinogenicity: for	Hop β -acids are a natural component of hop extract. A dossier supporting GRAS status hop β -acids as antimicrobial agents for frankfurters, cooked meats and poultry products sold ready-to-eat is available in the public domain. Hop β -acids are approved for use in France as a processing aid in the production of yeast, sugar and bioethanol Bacterial reverse mutation assay: not mutagenic
11.7 Reproductive Toxicity :	Weight of evidence indicates lack of reproductive toxicity. See 11.6
11.8 STOT-Single intended use - Exposure:	Weight of evidence indicates safety when used for its see (11.6) above.

11.9 STOT-Repeated
intended use -

Weight of evidence indicates safety when used for its

Exposure:

see (11.6) above.

11.10 Aspiration Hazard: Not an aspiration hazard.

12. ECOLOGICAL INFORMATION

12.1 Toxicity:

Read across from hop extract EC 232-504-3,
toxicity to fish: *Carassius auratus* (goldfish)
- Etude pharmacologique de l'action du lupulin et de la fleur d'organer sur le poisson.
Pharmaceutica acta Helvetiae (1953) **28**(7-8), pp.183-206: lowest dose causing adverse effects estimated by
calculation as ca. 80 mg/l.

Toxicity to *Daphnia* and other aquatic invertebrates:
Active component of BetaStab 10A, viz. potassium salts of hop β -acids:
EC50 - *Daphnia magna* (Water flea) - 1.87 mg/l - 48 h.
NOEC - *Daphnia magna* (Water flea) - 1.54 mg/L - 48 h.
Toxicity to freshwater algae:
Active component of BetaStab 10A, viz. potassium salts of hop β -acids:
ErC50 - *Pseudokirchneriella subcapitata* strain: CCAP 278/4 - 18.57 mg/l - 72 h.
NOEC - *Pseudokirchneriella subcapitata* strain: CCAP 278/4 - 0.992 mg/l - 72 h.

**12.2 Persistence and
Degradability:**

Ultimate biodegradation (natural product).

**12.3 Bioaccumulative
Potential:**

Natural product, not expected to bioaccumulate.

12.4 Mobility in Soil:

Log K_{oc} 2.7 - 2.9 (modelling by EPISuite™)

12.5 Results of PBT

Exposure:

And vPvB Assessment:

This substance/mixture contains no components considered to be
either persistent, bioaccumulative and toxic (PBT), or very persistent
and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects:

No data

Exposure:

13. DISPOSAL CONSIDERATIONS

Product disposal:

Dispose in accordance with all applicable local and national regulations.

Container disposal:

be

Labels should not be removed from containers until they have been cleaned.
contaminated containers should not be treated as household waste. Containers should
be cleaned using appropriate methods and then re-used or disposed of by landfill or
incineration as appropriate.

14. TRANSPORT INFORMATION

14.1 UN-Number:

Not listed

14.2 Shipping Name:

N/A

**14.3 Transport
Hazard Class:**

Non-hazardous for transport.

14.4 Packing group

Not listed

**14.5 Enviromental
Hazards**

Not listed

14.6 Special Precautions

Not required

15. REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations:

Germany: Water contaminant class 1 (self assessment) according to VwVwS from May 17th 1999 appendix 3. Do not discharge onto the ground or into watercourses.

Wassergefährdungsklasse:

WGK1 (Selbsteinstufung): schwach wassergefährdend

Gemäß Anhang 3 der Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) vom 17.05.1999 Kenn-Nr.: 6390

15.2 Chemical Safety Assessment:

N/A – for food use.

16. OTHER INFORMATIONS

Indication of changes:

Sections 2 and 3: classification updated following completion of REACH dossier and obtaining test data

Section 4.1: added information on rinsing mouth with water

Sections 4.2 and 4.3: revised according to classification

Section 6.2: updated and added information relating to amount of material handled

Section 7.3: updated following REACH registration

Section 8.2: updated to correspond to new classification and H and P phrases

Sections 9, 11, 12: New data added following REACH registration

Section 15: updated following REACH registration

(a) Key literature references and sources for data:

- REACH registration dossier for EC 305-203-0

(b) Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

- Skin Irritation Category 2: On basis of test data and read-across from similar substance, together with bridging principle "dilution"
- Eye Irritation Category 2: On basis of expert judgment and read-across from similar substance, together with bridging principle "dilution"
- Skin Sensitisation Category 1: On basis of expert judgment and read-across from similar substance, together with bridging principle "dilution"

The information in this safety data sheet is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. The information in this document is based on our present knowledge and should be used only as a supplement to information already in your possession concerning this product. It does not represent any guarantee of the properties of the product. The determination of whether and under what condition the product should be used is yours to make. We do not accept any liability for loss, injury or damage that may result from its use.