

# Aromahop®

## Safety Data Sheet

Aromahop® OE is not classified as a dangerous product according to European Union legislation, and its use is as a food product in the brewing of beer. However, this safety data sheet is provided voluntarily according (as appropriate) to the principles of the Classification, Labelling and Packaging Regulations (Regulation (EC) No. 1272/2008).

## 1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

**1.1 Product Identifier:** Aromahop® OE

---

**1.2 Synonyms:** AOE, Aromahop OE (Unstandardized), Aromahop OE (Blended)

---

**1.3 Relevant Uses:** Hop Extract for brewing. Other uses as appropriate to REACH registration.

---

**1.4 Supplier:** BarthHaas / BarthHaas UK Ltd.

---

**1.5 Emergency Contact Details:** Hop Pocket Lane, Paddock Wood, Kent, TN12 6DQ, UK  
Emergency phone: +44 1892 833 415 (09:00 - 17:30 Mon-Thurs; 09:00 - 16:30 Fri, UK time)  
Email: [enquiries@barthhaas.co.uk](mailto:enquiries@barthhaas.co.uk)

**BarthHaas / John I. Haas, Inc.**  
1600 River Rd., Yakima, WA 98902, USA.  
Emergency phone: +1 202 777 4800 (office hours)  
Email: [info@johnihaas.com](mailto:info@johnihaas.com)

## 2. HAZARDS IDENTIFICATION

**2.1 Classification:** According to Regulation (EC) 1272/2008 [CLP]:  
Skin Irritation Category 2  
Eye Irritation Category 2  
Skin Sensitisation Category 1

---

**2.2 Label Elements:** According to Regulation (EC) 1272/2008 [CLP]:

Hazard Pictogram:



Signal Word: **Warning**

Hazard Statements:

H315: Causes skin irritation

H317: May cause an allergic skin reaction

H319: Causes serious eye irritation

Precautionary Statements:

P280: Wear protective gloves and eye protection

P302+P352: IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

---

**2.3 Other Hazards:** None

### 3. COMPONENTS/INFORMATION ON INGREDIENTS

The product is a type of hop (*Humulus lupulus* L.) extract.

Hop Extract, CAS: 8060-28-4

EINECS N°. 232-504-3

REACH Registration no. 01-2120766018-52-0000

### 4. FIRST AID MEASURES

#### 4.1 Description of First Aid Methods:

**Inhalation:** Move to fresh air

**Skin contact:** Wash skin thoroughly with soap and water.

**Eye contact:** Flood the eye with plenty of water. If any symptoms persist obtain medical attention.

**Oral ingestion:** Rinse mouth out with water and drink a portion of water (ca. 200ml). Vomiting may occur but should not be induced. Obtain medical attention if symptoms persist.

---

#### 4.2 Most important Symptoms and Effects

Skin and eye irritation

---

#### 4.3 Indications of Immediate Medical Attention or Special Treatment

Action as indicated in Section 4.1 above

### 5. FIRE AID MEASURES

#### 5.1 Extinguishing media:

Carbon dioxide, dry powder and foam

---

#### 5.2 Special Hazards Arising from Substance

Contains hop oil. Hop oil is combustible and may give rise to hazardous fumes in a fire.

---

#### 5.3 Advice for Firefighters:

Fire fighters should wear self-contained positive pressure breathing apparatus

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal Protection:

Wear appropriate protective clothing - see Section 8.

---

#### 6.2 Environmental Precautions:

Avoid sub-soil penetration. Prevent entry to sewers and public waters. Do not discharge onto the ground or into watercourses.

---

#### 6.3 Methods for Cleaning Up:

Contain spillage using earth, sand or other inert material. Transfer to suitable sealed container prior to disposal. Flush area with hot soapy water to remove final traces. Use adequate ventilation or a respirator if in a confined area.

## 7. HANDLING AND STORAGE

<b>7.1 Precautions for Safe Handling:</b>	Avoid excessive contact with product. Use appropriate protective clothing as indicated in Section 8. Wash hands after use.
<b>7.2 Conditions for Safe Storage:</b>	Store at 15 - 25 °C (59 - 77 °F). Suitable storage is high grade stainless steel, glass, high-density polyethylene and high phenolic lacquered mild steel
<b>7.3 Specific End Uses:</b>	For use as a food ingredient. It should be used in accordance with applicable food legislation.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>8.1 Control Parameters:</b>	Not applicable.
<b>8.2 Exposure Controls</b>	<p><u>Engineering Controls:</u> Provide adequate ventilation.</p> <p><u>Eye/Face Protection:</u> Chemical goggles must be worn during handling.</p> <p><u>Hand Protection:</u> PVC, rubber, latex or nitrile gloves</p> <p><u>Skin Protection:</u> If danger of splashing wear PVC or rubber apron.</p> <p><u>Respiratory Protection:</u> Not normally required.</p>

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Thick brown liquid
<b>Odour:</b>	Characteristic, typical hoppy, resinous aroma
<b>Odour Threshold:</b>	No data available
<b>pH:</b>	N/A (insoluble in water)
<b>Melting Point:</b>	No clear melting point. Becomes fluid at 40 - 60 °C (104 - 140 °F), depending on variety
<b>Boiling Point:</b>	No clear boiling point - decomposes before boiling
<b>Flash Point:</b>	Hop extracts containing hop oils have a flash point of ca. 80 °C (176 °F) or above, depending on variety
<b>Evaporation Rate:</b>	Not measured (substantial evaporation not expected at normal conditions)
<b>Flammability:</b>	Non flammable
<b>Upper/Lower Flammability:</b>	N/A
<b>Vapour Pressure:</b>	ca. 18.4 Pa (138 mm Hg) at 25 °C (77 °F)
<b>Vapour Density:</b>	No data available
<b>Density (kg/m<sup>3</sup>)</b>	900 - 1,100
<b>Solubility in Water:</b>	Insoluble; forms an emulsion.
<b>Partition Coefficient:</b>	LogP <sub>ow</sub> : Hop extract contains components with Log P values of 3 - 7 at pH 7
<b>Auto-ignition Temperature:</b>	N/A
<b>Decomposition Temperature:</b>	No hazardous decomposition when used for its intended use.
<b>Viscosity:</b>	No data available
<b>Explosive properties:</b>	Not explosive
<b>Oxidising properties:</b>	Not an oxidizing agent

## 10. STABILITY AND REACTIVITY

<b>10.1 Reactivity:</b>	No reactivity hazards known
<b>10.2 Chemical Stability:</b>	Stable if stored in accordance with 7.2 and 10.5
<b>10.3 Possibility of Hazardous Reactions:</b>	None known
<b>10.4 Conditions to Avoid:</b>	Keep container closed when not in use; high temperatures.
<b>10.5 Incompatible Materials:</b>	None known.
<b>10.6 Hazardous Decomposition Products:</b>	None known

## 11. TOXICOLOGICAL INFORMATION

Hop extracts have a long history of safe use as a beer ingredient.

<b>11.1 Acute Toxicity:</b>	Typical hop extracts are not classified as hazardous. Estimated ATE values (oral, dermal) are >2000 mg/kg bw.
<b>11.2 Skin Corrosion/ Irritation</b>	Skin Irritation Category 2
<b>11.3 Serious Eye Damage/ Irritation:</b>	Eye Irritation Category 2
<b>11.4 Respiratory or Skin Sensitisation:</b>	Skin Sensitisation Category 2.
<b>11.5 Germ Cell Mutagenicity:</b>	OECD Guideline 471 (Bacterial Reverse Mutation Assay) mutagenic. Bacterial reverse Mutations Assay on 40% beta-acids: not mutagenic
<b>11.6 Carcinogenicity:</b>	Hop extracts have a long history of safe use as a component of beer. Bacterial reverse mutation assay: not mutagenic.
<b>11.7 Reproductive Toxicity:</b>	Weight of evidence indicates lack of reproductive toxicity. Long history of safe use as a component of beer. Hop extracts are generally recognised as safe (GRAS) in accordance with US FDA regulation 21 CFR 182.20.
<b>11.8 STOT-Single Exposure:</b>	Weight of evidence indicates safety when used for its intended use - see (11.7) above.
<b>11.9 STOT-Repeated Exposure:</b>	Weight of evidence indicates safety when used for its intended use - see (11.7) above.
<b>11.10 Aspiration Hazard:</b>	Not an aspiration hazard.

## 12. ECOLOGICAL INFORMATION

**12.1 Excotoxicity:** Toxicity to fish: Carassius auratus (goldfish) - Etude pharmacologique de l'action du lupulin et de la fleur d'organer sur le poisson. *Pharmaceutica acta Helvetiae* (1953) **28**(7-8), pp.183-206: lowest dose causing adverse effects estimated by calculation as ca. 80 mg/l.  
Toxicity to Daphnia and other aquatic invertebrates:  
EC50 - Daphnia magna (Water flea) - >5.8 mg/l - 48 h.  
NOEC - Daphnia magna - ca. 2.2 mg/l - 48 h.  
Toxicity to freshwater algae:  
EC50 - 42.7 mg/l - 48 h.  
NOEC - 12.5 mg/l - 72 h..

---

**12.2 Persistence and Degradability:** Ultimate biodegradation (natural product).

---

**12.3 Bioaccumulative Potential:** Natural product, not expected to bioaccumulate.

---

**12.4 Mobility in Soil:** Log  $K_{oc}$  1.7 - <4.5 (modelling by EPISuite™)  
Other information: low hazardous to water  
Water contaminant class 1 (self assessment) according to VwVwS from May 17<sup>th</sup> 1999 appendix 3. Do not discharge onto the ground or into watercourses.

---

**12.5 Results of PBT Exposure: And vPvB Assessment:** This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

---

**12.6 Other adverse effects: Exposure:** No data available

## 13. DISPOSAL CONSIDERATIONS

---

**Product disposal:** Dispose in accordance with all applicable local and national regulations.

---

**Container disposal:** Labels should not be removed from containers until they have been cleaned. Contaminated containers should not be treated as household waste. Containers should be cleaned using appropriate methods and then re-used or disposed of by landfill or incineration as appropriate.

#### 14. TRANSPORT INFORMATION

**14.1 UN-Number:** Non-hazardous for transport.

**14.2 Shipping Name:** N/A

**14.3 Transport Hazard Class:** Non-hazardous for transport.

**14.4 Packing group** Non-hazardous for transport.

**14.5 Marine pollutant:** No data available

#### 15. REGULATORY INFORMATION

**15.1 Safety, Health and Environmental Regulations:** Germany: Water contaminant class 1 (self assessment) according to VwVwS from May 17<sup>th</sup> 1999 appendix 3. Do not discharge onto the ground or into watercourses.

**15.2 Chemical Safety Assessment:** N/A when used for food applications

#### 16. OTHER INFORMATIONS

(a) Indication of changes:

Prepared 30-March-2020 on the basis of Hop Extract SDS and Hop Extract REACH registration

(b) Key literature references and sources for data:

- REACH registration dossier for EC 232-504-3

(c) Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

- Skin Irritation Category 2: *in vitro* test data for REACH registration dossier for EC 232-504-3
- Eye Irritation Category 2: *in vitro* test data for REACH registration dossier for EC 232-504-3
- Skin Sensitisation Category 1: *in vitro* test data for REACH registration dossier for EC 232-504-3

The information in this safety data sheet is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. The information in this document is based on our present knowledge and should be used only as a supplement to information already in your possession concerning this product. It does not represent any guarantee of the properties of the product. The determination of whether and under what condition the product should be used is yours to make. We do not accept any liability for loss, injury or damage that may result from its use.